

European Slate Company Limited

Declaration of Performance

ENAC Test ref: 20/003

Dated 21 April 2020

1. Unique identification code of the product type:

Natural Roofing Slate

2. Type, Batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4) of the CPR:

Esco 100 Primera

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Slate & stone products for discontinuous roofing & cladding

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under articles 11(5):

European Slate Company Limited
Unit 9 Barton Park,
Chickenhall Lane,
Eastleigh
SO50 6RR

5. Where applicable, name and contact of the authorised representative whose mandate covers the task specified in Article 12(2):

Not Applicable

6. System of assessment and verification of constancy of performance of the construction products set out in CPR Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

BS EN 12326-1: 2014

8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued

Not Applicable

European Slate Company Limited

9. Declared Performance

Product description and name: ESCO 100 Primera					Conformity	
1. Dimensional Tolerances:						
Format:	Rectangular:					
Deviation from declared length:	≤ 1 mm				Yes	
Deviation from declared width:	≤ 1 mm				Yes	
Deviation from squareness:	≤ 1 %				Yes	
Deviation from straightness of edges:	≤ 1 %				Yes	
Slate type for deviation flatness:	Very Smooth	Smooth	Normal	Textured		
Slate type for deviation flatness:			< 0.1 %		Yes	
2. Thickness						
Slate type for packed thickness calculation:	Very Smooth	Smooth	Normal	Textured		
Nominal Thickness and			5 mm		Yes	
3. Strength						
Characteristic MOR	Transverse	48.8 MPa	Longitudinal	63.5 MPa		
4. Water absorption:	Complies w/ ($\leq 0.6\%$)				Yes	
5. Freeze thaw:	Not required					
6. Thermal cycle test:	T1				Yes	
7. Carbonate Content:	.6 %				Yes	
8. Sulphur dioxide	< 20% carbonate				S1	Yes
	> 20% carbonate				Not applicable	
9. Non-carbonate carbon content:	0.5 %				Yes	
10. External fire	Deemed to satisfy				Yes	
11. Reaction to Fire:	Deemed to satisfy				Class A1	Yes
12. Release of dangerous	None in conditions of use as roofing or external cladding				Yes	

10. The performance of the product identified in points 1 & 2 is in conformity with the declared point 9.

The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for and on behalf of the manufacture by:

Date : 21 April 2020

(Signature).....

Esco Slate Guarantee

Quarry ref:???

Site reference: SAMPLE

European Slate Company Limited
Unit 10, Tower Park Ind. Estate,
Tower Lane,
Eastleigh
SO50 6NZ
Tel: 020 8020 0994

European Slate Company Limited grants the following guarantee for Esco Slates:

Subject to the conditions set out in this guarantee document European Slate Company Ltd warrants that the Esco Slates will be free from serious or permanent defects that prevent them fulfilling their purpose as a roofing material for a period of seventy five years from the date of delivery to the site where they are installed.

This warranty is valid and applicable only if the slates have been stored, handled, and installed strictly in accordance with the British Standard Code of Practice BS 5534:2014 Slating and tiling for pitched roofs and vertical cladding, BS 8000-6:2013 Workmanship on building sites: Code of practice for slating and tiling of roofs and walls, our recommendations, and good industry practice.

The guarantee does not cover defects caused or contributed to by faulty handling or workmanship, movement in the underlying structure, foot traffic, or impact from external objects.

If a defect covered by this guarantee should occur, European slate Company Limited will provide replacement slates free of charge to repair the defective area, subject to the following conditions:

That a written claim is made within 30 days of the appearance of any alleged of any fault.

That European Slate Company shall be given full access to the site concerned in order to make investigations and shall be provided with any detailed information that it may reasonably require in order to assess the claim.

Signed:

Dated:

For and on behalf of European Slate Company Limited